Developmental Brain Research, 34 (1987) 319–320
Elsevier

Author Index

Akeson, R.A., see Wujek, J.R., 87
Arendash, G.W. and Gorski, R.A., Testosterone-induced enhancement of male medial preoptic tissue transplant volume in female recipients: a possible neuronotrophic action, 69

Barks, J., see Silverstein, F.S., 33
Bellport, V., see Sternberg, H., 316
Bennett, M.R., see Malik, R., 173
Benoit, P., Mariani, J., Delhaye-Bouchaud, N. and Chappuis, G., Evidence for a multiple innervation of cerebellar Purkinje cells by climbing fibers in adult ferrets infected at birth by a mink enteritis virus, 51
Bowe, C.M., Kocsis, J.D., Waxman, S.G. and Hildebrand, C., Physiological properties of regenerated rat sciatic nerve following lesions at different postnatal ages, 123
Bregman, B.S., Development of serotonin immunoreactivity in the rat spinal cord and its plasticity after neonatal spinal cord lesions, 245
Bregman, B.S., Spinal cord transplants permit the growth of serotonergic axons across the site of neonatal spinal cord transection, 265
Brugge, J.F., see Reale, R.A., 281
Burgoyne, R.D., see Cambray-Deakin, M.A., 1
Busciglio, J., see Ferreira, A., 9
Butcher, L.L., see Gould, E., 303

Cáceres, A., see Ferreira, A., 9
Cambray-Deakin, M.A., Norman, K.-M. and Burgoyne, R.D., Differentiation of the cerebellar granule cell: expression of a synaptic vesicle protein and the microtubule-associated protein MAP1A, 1
Casagrande, V.A., see Lachica, E.A., 298
Casanova, M.F., see Lowenstein, P.R., 291
Chan, J.C.K., see Reale, R.A., 281
Chappuis, G., see Benoit, P., 51
Condo, G.J., see Lachica, E.A., 298
Coyle, J.T., see Lowenstein, P.R., 291
Crabtree, J.W., see McCall, M.A., 223
Crabtree, J.W., see McCall, M.A., 235
Crepel, F., see Dupont, J.L., 59

Delhaye-Bouchaud, N., see Benoit, P., 51
Dupont, J.-L., Gardette, R. and Crepel, F., Postnatal development of the chemosensitivity of rat cerebellar Purkinje cells to excitatory amino acids. An in vitro study, 59

Ferreira, A., Busciglio, J. and Cáceres, A., An immunocytochemical analysis of the ontogeny of the microtubule-associated proteins MAP-2 and Tau in the nervous system of the rat, 9
Ferriero, D.M. and Sagar, S.M., Development of somatostatin immunoreactive neurons in rat retina, 207

Gardette, R., see Dupont, J.L., 59
Gorski, R.A., see Arendash, G.W., 69
Gould, E. and Butcher, L.L., Transient expression of choline acetyltransferase-like immunoreactivity in Purkinje cells of the developing rat cerebellum, 303
Greuel, J.M., Luhmann, H.J. and Singer, W., Evidence for a threshold in experience-dependent long-term changes of kitten visual cortex, 141

Hendrickson, A.E., see Westenbroek, R.E., 191
Henneberry, R.C., see Novelli, A., 307
Hildebrand, C., see Bowe, C.M., 123
Hoeben, R.C., see Warringa, R.A.J., 79
Hudson, C., see Johnston, M.V., 41

Johnston, M.V. and Hudson, C., Effects of postnatal hypoxia–ischemia on cholinergic neurons in the developing rat forebrain: choline acetyltransferase immunocytochemistry, 41
Johnston, M.V., see Silverstein, F.S., 33

Kocsis, J.D., see Bowe, C.M., 123
Koper, J.W., see Warringa, R.A.J., 79
Kornguth, S.E., see McCall, M.A., 223
Kornguth, S.E., see McCall, M.A., 235
Kriegstein, A.R., Suppes, T. and Prince, D.A., Cellular and synaptic physiology and epileptogenesis of developing rat neocortical neurons in vitro, 161

Lachica, E.A., Condo, G.J. and Casagrande, V.A., Development of cytochrome oxidase staining in the retina and lateral geniculate nucleus: a possible correlate of ON- and OFF-center channel maturation, 298
Laing, D.G., see Panhuber, H., 133
Le Douarin, N.M., see Xue, Z.-G., 99
Lopes-Cardozo, M., see Warringa, R.A.J., 79
Lowenstein, P.R., Slesinger, P.A., Singer, H.S., Walker, L.C., Casanova, M.F., Price, D.L. and Coyle, J.T., An autoradiographic study of the development of [^{3}H]hemicholinium-3 binding sites in human and baboon basal ganglia: a marker for the sodium-dependent high affinity choline uptake system, 291
Loy, R. and Sheldon, R.A., Sexually dimorphic development of cholinergic enzymes in the rat septohippocampal system, 156
Luhmann, H.J., see Greuel, J.M., 141

Malik, R. and Bennett, M.R, Loss of polyneuronal innervation and establishment of a topographical map in the glutaeus muscle of *Bufo marinus* during generation of secondary muscle cells, 173
Mariani, J., see Benoit, P., 51
McCall, M.A., Spear, P.D., Crabtree, J.W. and Kornguth, S.E., Effects of antibodies to large retinal ganglion cells on developing retinogeniculate pathways in the cat, 223
McCall, M.A., Spear, P.D., Crabtree, J.W. and Kornguth, S.E., Effects of reduced numbers of lateral geniculate Y-cells on development of ocular dominance in cat striate cortex, 235
Moore, R.Y., see Shibata, S., 311

Norman, K.-M., see Cambray-Deakin, M.A., 1

Novelli, A. and Henneberry, R.C., cGMP synthesis in cultured cerebellar neurons is stimulated by glutamate via a Ca^{2+}-mediated, differentiation-dependent mechanism, 307

O'Donovan, M.J., see Williams, C., 215

Panhuber, H. and Laing, D.G., The size of mitral cells is altered when rats are exposed to an odor from their day of birth, 133
Price, D.L., see Lowenstein, P.R., 291
Prince, D.A., see Kriegstein, A.R., 161

Reale, R.A., Brugge, J.F. and Chan, J.C.K., Maps of auditory cortex in cats reared after unilateral cochlear ablation in the neonatal period, 281

Sagar, S.M. and Ferriero, D.M., 207
Sawa, A. and Stavinoha, W.B., Heterogeneity of postnatal development of ACh levels in brain regions of the mouse, 151
Schwartz, N.B., see Smalheiser, N.R., 111
Segall, P.E., see Sternberg, H., 316
Sheldon, R.A., see Loy, R., 156
Shibata, S. and Moore, R.Y., Development of neuronal activity in the rat suprachiasmatic nucleus, 311
Silverstein, F.S., Torke, L., Barks, J. and Johnston, M.V., Hypoxia–ischemia produces focal disruption of glutamate receptors in developing brain, 33
Singer, H.S., see Lowenstein, P.R., 291
Singer, W., see Greuel, J.M., 141
Slesinger, P.A., see Lowenstein, P.R., 291
Smalheiser, N.R. and Schwartz, N.B., Kinetic analysis of 'rapid onset' neurite formation in NG108-15 cells reveals a dual role for substratum-bound laminin, 111
Smith, J., see Xue, Z.-G., 99
Spear, P.D., see McCall, M.A., 223
Spear, P.D., see McCall, M.A., 235
Stavinoha, W.B., see Sawa, A., 151
Sternberg, H., Segall, P.E., Bellport, V. and Timiras, P.S., Glutamic acid decarboxylase activity in discrete hypothalamic nuclei during the development of rats, 316
Suppes, T., see Kriegstein, A.R., 161
Sykes, J.E.C., see Warringa, R.A.J., 79

Timiras, P.S., see Sternberg, H., 316
Torke, L., see Silverstein, F.S., 33

Van Golde, L.M.G., see Warringa, R.A.J., /9

Walker, L.C., see Lowenstein, P.R., 291
Warringa, R.A.J., Hoeben, R.C., Koper, J.W., Sykes, J.E.C., Van Golde, L.M.G. and Lopes-Cardozo, M., Hydrocortisone stimulates the development of oligodendrocytes in primary glial cultures and affects glucose metabolism and lipid synthesis in these cultures, 79
Waxman, S.G., see Bowe, C.M., 123
Westenbroek, R.E., Westrum, L.E., Hendrickson, A.E. and Wu, J.-Y., Immunocytochemical localization of cholecystokinin and glutamic acid decarboxylase during normal development in the prepyriform cortex of rats, 191
Westrum, L.E., see Westenbroek, R.E., 191
Williams, C., Wohlenberg, G. and O'Donovan, M.J., Regional variations in the extent and timing of motoneuron cell death in the lumbosacral spinal cord of the chick embryo, 215
Wohlenberg, G., see Williams, C., 215
Wu, J.-Y., see Westenbroek, R.E., 191
Wujek, J.R. and Akeson, R.A., Extracellular matrix derived from astrocytes stimulates neuritic outgrowth from PC12 cells in vitro, 87

Xue, Z.-G., Smith, J. and Le Douarin, N.M., Developmental capacities of avian embryonic dorsal root ganglion cells: neuropeptides and tyrosine hydroxylase in dissociated cell cultures, 99